

OFFER No.: /11/05/2011/AB/02
 COMPANY:



MOBILE CONCRETE PUMP - KCPPUMP

WE OFFER CONCRETE PUMP **KCP48ZX5-200/8x8** FROM OFFER **KCPPUMP.EU**.

WORKING DIAGRAM:



I BELIEVE THAT THIS OFFER WILL INTERESTING FOR YOU AND LOOK FORWARD TO YOUR ANSWER.

YOURS SINCERELY



Antonín BERNARD
 +420 777764605
www.kcppump.eu
info@kcppump.eu
bernard@kcppump.eu

KCPPUMP s.r.o.
 549 12 VYSOKOV 140
 CZECH REPUBLIC





BOOM SPECIFICATIONS:

Vertical reach:	47,1m
Horizontal reach:	43,3m
Reach from front of truck:	40,2m
Unfolding height :	10,6m
Rotation:	370°
Regulatory proportional valve:	HAWE
Proportional boom:	YES
Radio remote control:	HBC
Pipe size :	125mm
End hose leght :	4,0m
Outrigger spread - front:	X/8,87m
Outrigger spread - rear	X/10,1m
Max. outrigger weight:	33.500kg

PUMP SPECIFICATIONS:

Maximum output :	200m³/hod.
Concrete cylinder:	280x2100mm
Regulating delivery :	20-225m³/hod.
Concrete cylinder design:	TVRDOCHROM
Stroke per minute:	25,3/min
Concrete pressure (rod) :	87,5bar
Hopper capacity:	0,6m³
Hopper lubricating system:	CENTRÁL
Size „S“ tube :	200x180mm
Hydraulic working pressure	350bar
Hydraulic pump:	REXTROTH
Water pump :	GRUNDFOS
Hydraulic power:	20bar/120l/min

STANDARD EQUIPMENT AND TECHNICAL INFORMATION

- **5** - shoulder bracket
- Easy access to all machine components, simplifying and accelerating maintenance
- Central lubrication of the machine
- use parts that are compatible with most other products on the market
- Innovative open simple hydraulic oil circulation system with higher performance
- wear plate and cutting ring displacement in concrete mix design - "**TUNGSTEN CARBIDE**" with a guaranteed life of at least **100.000** cubic meters
- accurate and reliable remote control **HBC**
- air-conditioning, trip computer, a separate box lubrication
- holders, pipes and hoses, storage basket for accessories, lighting terminal arm
- Pressure independent hydraulic pump for washing **250bar**
- Distribution Box **220V/1500W**

per unit EXW Czech Republic (The final end-customer price without transport costs and additional charges maybe)The KCPPUMP company reserves the right to change the technical parameters of machines offered in accordance with the specific type of boom and chassis construction, with the offer expection prior sale

